

World Resources Company

Form: FM-M01

RECYCLABLE MATERIAL PROFILE

EXHIBIT A

Generator Name: **ALASKAN COPPER WORKS**

Company I.D. #: **W2149A**

A. Generator Information	
1. Address: <u>3200 SIXTH AVENUE SOUTH</u> <u>SEATTLE</u> <u>WA</u> <u>98124</u>	3. Material EPA Waste Code: <u>F006</u>
2. Contact: <u>Gerald Thompson</u> Title: <u>Environmental Assistant</u>	4. Generator's EPA I.D. Number: <u>WAD980738546</u>
	5. Generator's State I.D. Number: _____

B. Recyclable Material Characteristics			
1. Color(s): <u>Brown</u> <u>Blue</u>	6. Texture (similar to) <input checked="" type="checkbox"/> Wet Clay <input type="checkbox"/> Dry Clay <input type="checkbox"/> Sand <input type="checkbox"/> Powder <input type="checkbox"/> Other _____	7. Appearance <input type="checkbox"/> Homogenous <input checked="" type="checkbox"/> Bilayered <input type="checkbox"/> Multilayered	9. Free Liquids (EPA SW 846, Method 9095) <input checked="" type="checkbox"/> Not Present <input type="checkbox"/> Present
2. Odor (none,mild,strong) <u>None</u> Description of Odor: _____			10. Debris <input checked="" type="checkbox"/> Not Present <input type="checkbox"/> Present
			11. Reactivity <input checked="" type="checkbox"/> Not Reactive <input type="checkbox"/> Reactive
3. Moisture (wet,damp,dry) <u>Wet</u> Percent Solids: <u>23.4</u>	8. Organic Vapors <input checked="" type="checkbox"/> Not Present (< 1ppm) If present, identify compounds and amount in ppm on a wet basis. <input type="checkbox"/> Present		12. Radionuclides (ASTM D5928-96) <input checked="" type="checkbox"/> Not Detected <input type="checkbox"/> Detected
4. pH (EPA SW 846, method 9040/9045) pH: <u>8.35</u>	5. Ignitability (40 CFR § 261.21) <input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL		13. Cyanide Gas HCN <input checked="" type="checkbox"/> Not Detected <input type="checkbox"/> Detected _____ ppm

C. Analytical Data (Content on a dry weight basis in ppm or %)					
Constituent *		Content	Qualifier	Constituent *	
1. Aluminum ¹	Al	5824.5 ppm		19. Magnesium ¹	Mg
2. Antimony ¹	Sb	24.9 ppm	L4	20. Manganese ¹	Mn
3. Arsenic ¹	As	72.8 ppm	L4	21. Mercury ¹	Hg
4. Barium ¹	Ba	94.3 ppm	M1	22. Nickel ¹	Ni
5. Beryllium ¹	Be	< 10.0 ppm		23. Selenium ¹	Se
6. Bismuth ¹	Bi	58.8 ppm	M2	24. Silver ¹	Ag
7. Cadmium ¹	Cd	< 20.0 ppm		25. Thallium ¹	Tl
8. Calcium ¹	Ca	12369.0 ppm	M1	26. Tin ¹	Sn
9. Chloride ⁴	Cl ⁻	0.03 %		27. Zinc ¹	Zn
10. Chromium, Hexavalent ²	Cr ⁺⁶	3201.9 ppm			
11. Chromium, Total ¹	Cr	56432.3 ppm			
12. Cobalt ¹	Co	826.6 ppm			
13. Copper ¹	Cu	69454.2 ppm	M3		
14. Cyanide, Amenable ³	CN ⁻	not analyzed			
15. Cyanide, Total ³	CN ⁻	< 42.7 ppm			
16. Fluoride ⁴	F ⁻	0.49 %			
17. Iron ¹	Fe	258495.5 ppm			
18. Lead ¹	Pb	114.7 ppm			

* Analytical Procedure References

1. EPA Method SW846 3050 / 6010 (Digestion / Analysis)
2. EPA Method SW846 3060 / 7196 (Extraction / Analysis)
3. EPA Method SW846 9010 / 9213 or 9014 (Distillation / Analysis)
4. HNO₃ or H₂O₂ / EPA Method SW846 9056 (Digestion / Analysis)

D. Certification	
I hereby certify that all information submitted in this profile is complete and accurate to the best of my knowledge and belief.	
Signed: _____ Title: <u>Laboratory Manager</u>	Date: <u>6/8/05</u> AZ DHS #: <u>AZ0586</u>

World Resources Company

Form: FM-M01

QA/QC DATA

EXHIBIT A

Generator Name: ALASKAN COPPER WORKS

Company I.D. #: W2149A

QA/QC Criteria: All analyses met method criteria unless otherwise noted.

Explanation of Data Qualifiers:

- M3 The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level.
The method control sample recovery was acceptable.
- L4 The associated blank spike recovery was below method acceptance limits.
- M1 Matrix spike recovery was high, the method control sample recovery was acceptable.
- M2 Matrix spike recovery was low, the method control sample recovery was acceptable.

World Resources Company

Form: FM-M01

SAMPLE COLLECTION & ANALYSIS COMPLETION DATES

EXHIBIT A

Generator Name: ALASKAN COPPER WORKS

Company I.D. #: W2149A

Constituent		Sample Date	Completion Date	Sample Technician
1. Aluminum	Al	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
2. Antimony	Sb	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
3. Arsenic	As	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
4. Barium	Ba	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
5. Beryllium	Be	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
6. Bismuth	Bi	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
7. Cadmium	Cd	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
8. Calcium	Ca	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
9. Chloride	Cl ⁻	01/17/2005 16:50	01/20/2005 14:00	KEVIN MCALISTER
10. Chromium, Hexavalent	Cr ⁺⁶	01/17/2005 16:50	01/24/2005 14:00	KEVIN MCALISTER
11. Chromium, Total	Cr	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
12. Cobalt	Co	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
13. Copper	Cu	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
14. Cyanide, Amenable	CN ⁻			
15. Cyanide, Total	CN ⁻	01/17/2005 16:50	01/20/2005 12:00	KEVIN MCALISTER
16. Fluoride	F ⁻	01/17/2005 16:50	01/20/2005 14:00	KEVIN MCALISTER
17. Iron	Fe	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
18. Lead	Pb	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
19. Magnesium	Mg	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
20. Manganese	Mn	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
21. Mercury	Hg	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
22. Nickel	Ni	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
23. Selenium	Se	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
24. Silver	Ag	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
25. Thallium	Tl	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
26. Tin	Sn	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER
27. Zinc	Zn	01/17/2005 16:50	05/06/2005 12:45	KEVIN MCALISTER



World Resources Company

8113 W. Sherman St.
Tolleson, AZ 85353-4025

Tel: 800.972.1955
Fax: 623.936.9164

June 8, 2005

Mr. Gerald Thompson
Environmental Assistant
ALASKAN COPPER WORKS
P. O. Box 3546
SEATTLE, WA 98124-3546

Dear Mr. Thompson:

In accordance with the recycling Agreement with your company, World Resources Company (WRC) provides a "RECYCLABLE MATERIAL PROFILE" (RMP) each contract year. Enclosed, for your records, is a completed RMP for the material generated at your plant. If a qualifier is indicated on the RMP, WRC has provided a quality assurance/quality control case narrative to validate the constituent's result(s).

The concentration of metals reported on the RMP is the total concentration of each metal on a dry basis. The recyclable material is prepared for analysis by first grid-sampling and then drying the selected sample in the laboratory oven at 103°-105° centigrade in order to obtain a homogeneous dry sample (Standard Methods For The Examination of Water and Wastewater, 15th Edition, published by the American Public Health Association 1980, Method 209A "Total Residue at 103°-105° centigrade"). Therefore, these results are generally higher than the concentrations of your material as it leaves your facility. You should multiply these dry concentrations by the decimal form of your percent solids (i.e. 50.0% = 0.50) to obtain the concentration of your material as it leaves your plant.

WRC appreciates your business and looks forward to a long and mutually beneficial recycling relationship. Please feel free to call me at (800) 972-1955 with any questions you may have regarding the enclosed RMP. Thank you for your interest in recycling.

Sincerely,

World Resources Company

Jason Hensley
Laboratory Manager

Enclosures